


Verdelli International Srl


EQUIPMENT AND SPARE PARTS
LIFTING, PILING, EARTHMOVING MACHINERY
DEMOLITION TOOLS

Benna mordente meccanica a grande apertura Materiale L fino a 0,8 t/m³

MODELLO	CAPACITA' MASSIMA	CAPACITA' STANDARD*	CAPACITA' GRU	DIAMETRO FUNE	PESO	DIMENSIONI (mm)				
	m ³	m ³	Ton	mm	kg	A	B	C	D	E
M.G.A. 4/12,5 L	12,5	9,7	16	26-28	6800	4720	3000	5100	5200	3200
M.G.A. 4/15 L	15	12,8	20	28-32	7500	5200	3220	5620	5640	3420
M.G.A. 4/19,6 L	19,6	16	25	32-36	9300	5350	3520	5830	6000	3710
M.G.A. 4/24 L	24	20	32	36-40	12200	5050	3800	6480	6560	3950
M.G.A. 4/31 L	31	25	40	40-44	15200	6600	4160	7200	7160	4160
M.G.A. 4/38,4 L	38,4	29	50	44-48	19300	7150	4500	7800	7680	4380
M.G.A. 4/48,4 L	48,4	35	63	48-52	24,3	8060	4820	8550	8560	4750

*materiale al livello delle pareti della benna






Verdelli International Srl


EQUIPMENT AND SPARE PARTS
LIFTING, PILING, EARTHMOVING MACHINERY
DEMOLITION TOOLS

Benna mordente meccanica a grande apertura Serie M materiale fino a 1 t/m³

MODELLO	CAPACITA' MASSIMA	CAPACITA' STANDARD*	CAPACITA' GRU	DIAMETRO FUNE	PESO	DIMENSIONI (mm)				
	m ³	m ³	Ton	mm	kg	A	B	C	D	E
M.G.A. 4/10,2 M	10,2	7	16	26-28	5800	4720	3000	5100	5200	2620
M.G.A. 4/12,7 M	12,7	9,5	20	28-32	7300	5200	3220	5620	5640	2790
M.G.A. 4/16,1 M	16,1	12	25	32-36	8900	5350	3520	5830	6000	3060
M.G.A. 4/20,2 M	20,2	25,5	32	36-40	11800	5050	3800	6480	6560	3230
M.G.A. 4/25,3 M	25,3	20	40	40-44	14700	6600	4160	7200	7160	3410
M.G.A. 4/31,2 M	31,2	24,5	50	44-48	18800	7150	4500	7800	7680	3570
M.G.A. 4/39,4 M	39,4	32	63	48-52	23600	8060	4820	8550	8560	3800

*materiale al livello delle pareti della benna






Verdelli International Srl


EQUIPMENT AND SPARE PARTS
LIFTING, PILING, EARTHMOVING MACHINERY
DEMOLITION TOOLS

Benna mordente meccanica a grande apertura Serie P materiale fino a 2 t/m³

MODELLO	CAPACITA' MASSIMA	CAPACITA' STANDARD*	CAPACITA' GRU	DIAMETRO FUNE	PESO	DIMENSIONI (mm)				
	m ³	m ³	Ton	mm	kg	A	B	C	D	E
M.G.A. 4/5,3 P	5,3	3,5	16	26-28	5400	4720	2750	4880	4720	2300
M.G.A. 4/6,7 P	6,7	5	20	28-32	6700	4970	2950	5340	5160	2470
M.G.A. 4/8,4 P	8,4	6,5	25	32-36	8200	5100	3260	5520	5450	2600
M.G.A. 4/10,6 P	10,6	8	32	36-40	10900	5700	3520	6150	6000	2760
M.G.A. 4/13,2 P	13,2	10,5	40	40-44	13600	6320	3800	6840	6560	2920
M.G.A. 4/16,3 P	16,3	12,5	50	44-48	17400	6760	4100	7380	6940	3100
M.G.A. 4/20,6 P	20,6	15	63	48-52	21900	7730	4450	8380	7900	3290

*materiale al livello delle pareti della benna





Verdelli International Srl

EQUIPMENT AND SPARE PARTS
LIFTING, PILING, EARTHMOVING MACHINERY
DEMOLITION TOOLS

Benna mordente meccanica a grande apertura Serie HD materiale fino a 3,2 t/m³

MODELLO	CAPACITA' MASSIMA	CAPACITA' STANDARD*	CAPACITA' GRU	DIAMETRO FUNE	PESO	DIMENSIONI (mm)				
	m ³	m ³	Ton	mm	kg	A	B	C	D	E
M.G.A. 4/3,4 HD	3,4	2,4	16	26-28	5100	4370	2360	4620	4500	2050
M.G.A. 4/4,3 HD	4,3	3,2	20	28-32	6300	4900	2560	5050	5040	2210
M.G.A. 4/5,4 HD	5,4	4,5	25	32-36	7800	5000	2780	5220	5240	2300
M.G.A. 4/6,8 HD	6,8	5	32	36-40	10300	5580	3020	5830	5740	2430
M.G.A. 4/8,5 HD	8,5	7,2	40	40-44	12800	6230	3280	6230	6360	2560
M.G.A. 4/10,5 HD	10,5	9	50	44-48	16600	6640	3560	6640	6660	2700
M.G.A. 4/13,2 HD	13,2	11,8	63	48-52	20100	7600	3940	7600	7600	2880

*materiale al livello delle pareti della benna

