



Verdelli International Srl

EQUIPMENT AND SPARE PARTS
LIFTING, PILING, EARTHMOVING MACHINERY
DEMOLITION TOOLS

MULTIPROCESSORE COMBINATO IDRAULICO + KIT PINZA SERIE 'C'

MODELLO	PRESSIONE OLIO	PESO IDEALE ESCAV.	OLIO	PESO TOTALE ATTREZZATURA	PESO KIT	LUNGHEZZA TOTALE	APERTURA IN PUNTA
	Bar	Ton	L	kg	kg	mm	mm
C.D_ C 3 R	220	3,6-4,4	48	375	100	1100	380
C.D_ C 5 R	250	6,5-8,5	60	560	110	1100	400
C.D_ C 7 R	300	6-11	80	650	120	1100	500
C.D_ C 10 R	300	15-17	120	1080	230	1800	610
C.D_ C 15 R	300	17-20	200	1600	350	2000	720
C.D_ C 20 R	300	19-22	220	1900	480	2100	800
C.D_ C 23 R	300	22-25	230	2600	800	2200	900
C.D_ C 35 R	300	27-33	300	3800	1000	2600	1080







Verdelli International Srl

EQUIPMENT AND SPARE PARTS
LIFTING, PILING, EARTHMOVING MACHINERY
DEMOLITION TOOLS

MULTIPROCESSORE COMBINATO IDRAULICO + KIT FRANTUMATORE SERIE 'F'

MODELLO	PRESSIONE OLIO	PESO IDEALE ESCAV.	OLIO	PESO TOTALE ATTREZZATURA	PESO KIT	LUNGHEZZA TOTALE	APERTURA IN PUNTA
	Bar	Ton	L	kg	kg	mm	mm
C.D_ F 3 R	220	3,6-4,4	48	385	110	1100	370
C.D_ F 5 R	250	6,5-8,5	60	580	130	1100	390
C.D_ F 7 R	300	6-11	80	650	150	1200	450
C.D_ F 10 R	300	15-17	120	1130	300	1800	570
C.D_ F 15 R	300	17-20	200	1620	420	2000	680
C.D_ F 20 R	300	19-22	220	1900	520	2100	800
C.D_ F 23 R	300	22-25	230	2600	800	2200	850
C.D_ F 35 R	300	27-33	300	3800	1200	2600	980






Verdelli International Srl

EQUIPMENT AND SPARE PARTS
LIFTING, PILING, EARTHMOVING MACHINERY
DEMOLITION TOOLS

MULTIPROCESSORE COMBINATO IDRAULICO + KIT CESOIA SERIE 'S'

MODELLO	PRESSIONE	PESO IDEALE	OLIO	PESO TOTALE	PESO	LUNGHEZZA	APERTURA
	OLIO	ESCAV.					
	Bar	Ton	L	kg	kg	mm	mm
C.D_ S 3 R	220	3,6-4,4	48	375	100	1100	210
C.D_ S 5 R	250	6,5-8,5	60	560	110	1100	300
C.D_ S 7 R	300	6-11	80	630	120	1100	315
C.D_ S 10 R	300	15-17	120	980	230	1800	345
C.D_ S 15 R	300	17-20	200	1600	400	2000	380
C.D_ S 20 R	300	19-22	220	1900	480	2000	450
C.D_ S 23 R	300	22-25	230	2550	720	2200	540
C.D_ S 35 R	300	27-33	300	3700	1100	2600	600





Verdelli International Srl

EQUIPMENT AND SPARE PARTS
LIFTING, PILING, EARTHMOVING MACHINERY
DEMOLITION TOOLS

MULTIPROCESSORE COMBINATO IDRAULICO + KIT PIZA MISTA SERIE 'M'

MODELLO	PRESSIONE OLIO	PESO IDEALE ESCAVATORE	OLIO	PESO TOTALE ATTREZZATURA	PESO KIT	LUNGHEZZA TOTALE	APERTURA IN PUNTA
	Bar	Ton	L	kg	kg	mm	mm
C.D_ M 3 R	220	3,6-4,4	48	375	100	1100	380
C.D_ M 5 R	250	6,5-8,5	60	560	110	1100	410
C.D_ M 7 R	300	6-11	80	650	140	1200	480
C.D_ M 10 R	300	15-17	120	1110	250	1800	610
C.D_ M 15 R	300	17-20	200	1630	430	2000	720
C.D_ M 20 R	300	19-22	220	1900	520	2100	800
C.D_ M 23 R	300	22-25	230	2250	750	2200	900
C.D_ M 35 R	300	27-33	300	3850	1250	2600	1080

